

NOTICE OF PUBLICATION OF CATEGORICAL EXCLUSION CITY OF HELENA, MONTANA WPCSRF #: C302250 HELENA WASTEWATER CAST-IN-PLACE-PIPE REHABILITATION 2022 January 17, 2023

Old concrete and clay sanitary sewer pipes at several locations within the City of Helena are in poor condition and subject to infiltration of groundwater and exfiltration of untreated wastewater into the ground. Some pipes are at risk of failure, including blockages, back-ups, and collapse. Older pipe with offset joints, displacement and cracking requires more frequent cleaning and maintenance which increases operational costs for the City of Helena.

Rehabilitating the existing sewer mains in-situ using cured-in-place-pipe (CIPP) at approximately nineteen locations will provide a smooth interior and structurally sound pipe with minimal surface disturbance. Locations for proposed CIPP rehabilitation were selected throughout the City based on video inspections and repairs of the system. The project will result in rehabilitation of about 11,600 linear feet of pipe. The new sewer mains will eliminate sewer backups, thereby protecting public health and safety. Soil and groundwater contamination from the old leaking sewer mains will also be eliminated as a result of the project.

Pursuant to ARM 17.40.318, the Department has concluded that the proposed project meets the Categorical Exclusion criteria of the National Environmental Policy Act (NEPA) and the Montana Environmental Policy Act (MEPA). The Categorical Exclusion may be revoked if the project is not initiated within the time period specified in the facility plan, a new or modified application is submitted, new evidence demonstrates serious local or environmental issues exist, or state, local, tribal, or federal laws are violated. The documentation for the Categorical Exclusion is available for public review at the following locations and online at http://deq.mt.gov/public/water-public:

Department of Environmental Quality State Revolving Fund Loan Program 1520 East Sixth Avenue Helena, MT 59601 City of Helena 316 N Park Ave, Room 421 Helena, MT 59623

Sincerely,


Michael Abrahamson, PE

Section Supervisor

Water Pollution Control State Revolving Fund Program


Engineering Bureau, Water Quality Division

Montana Department of Environmental Quality



CITY OF HELENA PROJECT #19-35 SEWER MAIN REHABILITATIONS

CIPP LOCATIONS



CITY OF HELENA VICINITY MAP / SHEET INDEX

NOT TO SCALE

LOCATIONS

PROJECT: 19-35

- 2 HAYES STREET STA.0+00 3+30 HOLLINS AVENUE - STA.0+00 - 4+60
- 3 HAUSER BLVD. STA.0+00 9+19
- 4 STUART ST. NORTH STA.0+00 3+06 STUART ST. ALLEY - STA.0+00 - 2+00
- 5 STATE STREET STA.0+00 4+23 STUART STREET - STA.0+00 - 3+80
- 6 WARREN STREET STA.0+00 2+74 10TH AVENUE - STA.0+00 - 4+66
- 7 VILLARD AVENUE STA.0+00 2+55 DAKOTA STREET - STA.0+00 - 2+12
- 8 WALNUT STREET 1 STA.0+00 4+77 WALNUT STREET 2 - STA.0+00 - 4+72
- 9 KNIGHT STREET STA.0+00 4+56 PROSPECT AVENUE - STA.0+00 - 4+01
- 10 POPLAR STREET 1 STA.0+00 4+51 POPLAR STREET 2 - STA.0+00 - 1+96
- 1 3RD STREET STA.0+00 4+88 LAST CHANCE GULCH - STA.0+00 - 3+67
- 12 LAST CHANCE GULCH STA.0+00 5+39
- 13 LAST CHANCE GULCH STA.0+00 4+73
- 8TH AVENUE/DAKOTA STREET EAST STA. 0+00 5+89
- 15 HOLLINS AVENUE STA.0+00 9+19
- 16 LIVINGSTON AVENUE STA.0+00 5+10 ELM STREET - STA.0+00 - 3+70
- 17 BRECKENRIDGE STREET STA.0+00 6+60

DOCUMENTATION OF CATEGORICAL EXCLUSION DETERMINATION CHECKLIST

Project Name / Brief Description: <u>Helena CIPP 2022 – cast-in-place-pipe rehabilitation of approximately 10,000 linear feet of various sized existing gravity sewer main.</u> Seventeen (17) <u>locations were identified through maintenance records.</u>

WPCSRF Project Number: C302250		
Date: January 17, 2023		
Preparer: Steve Lipetzky		
The Department action under Title 75, chapter 5, part 11 and or chapter 6, part 1 or 2, MCA, is excluded from the requirement to prepare an environmental assessment (EA) or environmental impact statement (EIS) if the application for department review is for any of the following projects:		
(a) Projects relating to existing infrastructure systems such as sewer systems, drinking water supply systems, and stormwater systems, including combined sewer overflow systems that involve: [Answer yes or no. If all answers "no", an EA or EIS must be completed. If any answer is yes, skip to (b).]		
No 1. minor upgrading;		
No 2. minor expansion of system capacity;		
Yes 3. rehabilitation (including functional replacement) of the existing system and system components;		
No 4. construction of new minor ancillary facilities adjacent to or on the same property as existing facilities; or		
No 5. projects in unsewered communities involving the replacement of existing onsite systems, provided that the new on-site systems do not result in substantial increases in the volume of discharges or in loadings of pollutants from existing sources, and do not relocate existing discharges.		
(b) A categorical exclusion may <u>NOT</u> be granted for a department action if: [Answer <u>yes</u> or <u>no</u> . If all answers " <u>no</u> ", skip to (c). If any answer is <u>yes</u> , an EA or EIS must be completed.]		
No 6. the action would authorize facilities that will provide a new discharge or relocate an existing discharge to ground or surface waters;		
 the action would result in an increase above permit levels established for the facility under the Montana pollutant discharge elimination system or Montana ground water pollution control system for either volume of discharge or loading rate of pollutants to receiving waters; 		
No 8. the action would authorize facilities that will provide capacity to serve a population at least 30% greater than the existing population;		
No 9. the action is not supported by the state, or other regional growth plan or strategy:		

<u>No</u>	 the action directly or indirectly involves or relates to upgrading or extending infrastructure systems primarily for the purposes of future development; 	
<u>No</u>	11. the department has received information indicating that public controversy exists over the project's potential effects on the quality of the human environment;	
<u>No</u>	12. the department determines that the proposed project that is the subject of the state action shows some potential for causing a significant effect on the quality of the human environment, based on ARM 17.4.608, or might possibly affect:	
	(i) sensitive environmental or cultural resource areas; or (ii) endangered or threatened species and their critical habitats.	
(c) If the review	proposed project meets the conditions above in determining use of a CATEX, the ver will then complete items 13 - 17 as follows: [Once all steps 1- 17 are complete, reviewer shall sign and date at bottom. If revocation becomes necessary, reviewer shall initiate an EA or EIS as appropriate.]	
Yes	13. Project meets the above Categorical Exclusion criteria.	
Yes	14. DEQ determination of Categorical Exclusion.	
	15. DEQ distributes the Notice of Determination.	
	 Notice of Publication and cover letter (containing revocation language below) is delivered to recipient. 	
	 Notice of Publication published in local newspaper by recipient and evidence of publication provided to reviewer. 	
(d) The de	epartment may revoke a categorical exclusion if: omplete the steps below 18 – 21 if revocation of a previously implemented CATEX becomes necessary.]	
	 the project is not initiated within the time period specified in the facility plan, or a new or modified application is submitted; 	
	 the proposed action no longer meets the requirements for a categorical exclusion because of changes in the proposed action; 	
	20. new evidence demonstrates that serious local or environmental issues exist; or	
	21. state, local, tribal, or federal laws may be violated.	
Str &	Lilla	
STATE PR	REPARER	
Mich	le Marsh	
STATE REVIEWER		
COMPLETION DATE		